

Audio Output Tests

1 Graphic login – unprivileged user

Notes:

- GUI invocation via the Applications menu was used in all cases
- An effort is was to find, and release spurious locks on audio resources before each program was invoked. KDE is is commonly at fault in these cases (e.g., with knotify4 opening a file in /dev/snd and not releasing it when it has done its (by the way, in my case unwanted) audio notification (usually of some event that is of no interest to me or that is already obvious). Most of these offenders were found with `lsdf +c 0 -n | grep "/dev/snd"` and then the process holding the device file open was killed. Note that there are cases in which there is a legitimate reason for these files to be open (as for example when hdspmixer is being actively used but that is not the case in any of these tests unless otherwise noted.
- Three audio file formats were tested in each case (flac, wav, mp3). Results marked as successful succeeded for all three formats unless otherwise noted. Results marked as unsuccessful failed for all three formats unless otherwise noted.

Program	Command	Result	Notes
Audacity	audacity	successful	
Amarok	amarok %U	unsuccessful	PulseAudio Sound Server
Audacious	audacious2 %U	unsuccessful	Meter display OK
Banshee	banshee-1 --redirect-log --play-enqueued %U	unsuccessful	Played audio streamed from internet. Visual indications that Banshee thinks it is playing.
GNOME MPlayer	gnome-mplayer %U	unsuccessful	This applies equally to testing and accepting all defaults, choosing also as “Audio Output” and choosing “pulse” as “Audio Output” Visual indicators show it playing each file
Gnome Music Player Client	gmpc	unsuccessful	mpd running ok & reports ”output: Successfully detected a also audio device” Visually reports that it is playing each file